

● 原著論文(英文)

- 2015年**
- Systemic Exposure to Benzoic Acid and Hippuric Acid Following Topical Application of Clindamycin 1%/Benzoyl Peroxide 3% Fixed-Dose Combination Gel in Japanese Patients with Acne Vulgaris
Clinical Pharmacology in Drug Development 2015, 4(1):18-24
 - A Randomized study of the safety, tolerability, pharmacodynamics, and pharmacokinetics of clopidogrel in three different CYP2C19 genotype groups of healthy Japanese subjects
J Atheroscler Thromb. 2015 Jun 9.
- 2014年**
- Safety, Tolerability, and Pharmacokinetics of E3030, a Novel Peroxisome Proliferator-Activated Receptor α/γ Dual Agonist, in Healthy Japanese Male Subjects.
Pharmacology & Pharmacy, 2014;5:139-148
- 2013年**
- Safety, Tolerability, Pharmacokinetics and Pharmacodynamics of E3024, a Novel and Selective Dipeptidyl Peptidase-IV Inhibitor, in Healthy Japanese Male Subjects: Rash Development in Men and Its Possible Mechanism
Pharmacology & Pharmacy, 2013;4:663-678
 - Mobile Genetic Element SCCmec-encoded psm-mec RNA Suppresses Translation of agrA and Attenuates MRSA Virulence
PLOS Pathogens 2013 ; 9(4): e1003269 (2013)
 - Copy Number Variation in Sulfotransferase isoform 1A1 (SULT1A1) is significantly associated with enzymatic activity in Japanese subjects.
Pharmacogenomics and Personalized Medicine, 2013;6:19-24
- 2012年**
- Dose-response relationships of rabeprazole 5, 10, 20, and 40 mg once daily on suppression of gastric acid secretion through the night in healthy Japanese individuals with different CYP2C19 genotypes.
Eur J Clin Pharmacol. 2012;68(5):579-88. Epub 2011 Nov 23
- 2010年**
- Novel CYP2C19 629C>A mutant gene detection in Japanese subjects and estimation of its effect on conformation
Drug Discov Ther 2010;4(6) : 412-417
 - A dried tofu-supplemented diet affects mRNA expression of inflammatory cytokines in human blood.
Journal of Nutritional Science and Vitaminology 2010;56(6) :396-410
- 2009年**
- Evaluation of the effects of freeze-dried soybean curd intake on cholesterol levels using a novel biomarker.
Drug Discov Ther 2009;3(4) : 143-145.
 - Trastuzumab-induced CCL20 and interleukin-8 mRNA in human whole blood ex vivo.
Investigational New Drugs Published online: 10 February 2009
- 2008年**
- Pharmacogenomics-based clinical studies using a novel, fully automated genotyping system
Drug Discov Ther 2008;2(6) : 333-338.
- 2007年**
- Analysis of the exon 12 and 14 mutations of the JAK2 gene in Philadelphia chromosome positive leukemia
Leukemia advance online publication, 13 September 2007;doi:10.1038/sj.leu.2404953
 - Lack of polymorphisms in the coding region of the highly conserved gene encoding transcription elongation factor S-II (TCEA1)
Drug Discov Ther 2007;1(1):9-11.
 - Single nucleotide polymorphism genotyping of CYP2C19 using a new automated system
Analytical Biochemistry 370:121-123, 2007
- 2006年**
- Frequency distribution of phenol sulfotransferase 1A1 activity in platelet cells from healthy Japanese subjects
Eur J Pharm Sci, 28:272-277, 2006
- 2005年**
- MagSNiPer: A new single nucleotide polymorphism typing method based on single base extension, magnetic separation, and chemiluminescence
Analytical Biochemistry 341:77-82, 2005
 - Development of an Automation System for SNPs Genotyping by Bio-Strand, the New Three-Dimensional Microarray
J Biosci and Bioeng 99:120-124, 2005

● 原著論文(和文)

- 2013年**
- イマチニブ錠100mg「NK」の健康成人男性を対象とした生物学的同等性試験
医学と薬学 70(4):805-812, 2013
 - フィルグラスチムバイオ後続品TKN732と市販製剤グラン@との薬物動態比較試験
フィルグラスチムバイオ後続品TKN732と市販製剤グラン@との薬理学比較試験
薬理と治療 vol.41 no.3: 251-274, 2013
- 2012年**
- 塩酸モキシフロキサシンによるQT 延長効果評価方法としての標準 12 誘導心電計自動計測数値の意義
臨床薬理 43号 : S310 2012
 - クロピドグレル反復投与後の血小板凝集能回復期間の検討 -単施設, ランダム化, 二重盲検, プラセボ対照臨床試験-
薬理と臨床 22(1):7-20, 2012
- 2011年**
- 高野豆腐摂取によるヒト血液中の炎症性サイトカインmRNAの変動
日本栄養・食糧学会誌 64(1):45-45, 2011
 - 特集2 MRSA感染症の新規治療薬 -ダプトマイシン-
4. ダプトマイシン (MK-3009) の第 I 相単回および反復静脈内投与試験
化学療法の領域 vol.27 no.10:135-148, 2011
- 2010年**
- 14C-トルブタミドを単回経口投与したマイクロドーズ臨床試験における CYP2C9 遺伝多型が関わる薬物動態
日本薬物動態学会年会講演要旨集 25(0), 127-127, 2010
- 2009年**
- イトラコナゾール内用液の服薬コンプライアンス向上を目指す取り組みについて
深在性真菌症 vol.5 no.1: 56-59, 2009